





STARK SSR-60 PRO




SSR-60 PRO

MODEL	PLATEN SIZE		MAXIMUM BELT WIDTH		WEIGHTS									
					FRAME		BOLT & TRAY		PLATEN SET		BAG		TOTAL WEIGHT	
	IN	MM	IN	MM	LBS	KG	LBS	KG	LBS	KG	LBS	KG	LBS	KG
SSR-60 PRO	12X12	300X300	60	1524	103.5	47	17.5	8	27.5	12.5	5.5	2.5	154	70
MAX OPERATING PRESSURE	OVERALL HEIGHT				OVERALL WIDTH				OVERALL LENGTH					
	IN	MM	IN	MM	IN	MM	IN	MM	IN	MM	IN	MM	IN	MM
75 PSI	29.5	750	12.5	320	49	1250								




SIDE VIEW

*images are for reference purpose only. product may vary




FRONT VIEW



TOP VIEW

*images are for reference purpose only. product may vary

- 1. BOLT WITH NUTS
- 2. TOP PLATEN TRAY
- 3. TOP PLATEN
- 4. BOTTOM PLATEN
- 5. BAG PLATE
- 6. PRESSURE BAG
- 7. BOTTOM PLATEN TRAY



SPOT REPAIR PLATEN ASSEMBLY (EXPLODED VIEW)

INTEGRATED COMPONENTS AS PART OF THE FRAME



ELECTRONIC CONTROL
UNIT



AIR PRESSURE
CONTROL UNIT

For more information please contact :

STARK VULCANISING PRODUCTS B.V.

Phone: +31 652 667 302

E-mail: marc@starkvulcanisingproducts.com

Website: www.starkvulcanisingproducts.com



STARK VULCANISING PRODUCTS B.V.